Litter Bins » Double Bins



Collection: Bondi

Litter Bins » Double Bins





Duraslat™ Outback



Hardwood Australian Eucalyptus Dark Oil



Duraslat™ Plateau



Duraslat™ Summit



Duraslat™ Canyon





Core Powder-Coat Coreten Textured



Core Powder-Coat Charcoal Satin



Core Powder-Coat Silver Pearl Satin Metallic



Core Powder-Coat Black Satin



Core Powder-Coat White Satin



Core Powder-Coat Bronze Satin Metallic



Signature Powder-Coat Deep Ocean Satin



Signature Powder-Coat Wedgewood Satin



Signature Powder-Coat Mangrove Satin



Signature Powder-Coat Territory Red Matt



Signature Powder-Coat Claypot Satin



Signature Powder-Coat Paperbark Satin



Bold Powder-Coat Sky Blue Satin



Bold Powder-Coat Yellow Green Satin



Bold Powder-Coat Pure Orange Satin

bottongardiner.com



Bold Powder-Coat Carmine Red Satin



Zinc Yellow Satin





Litter Bins » Double Bins

































Litter Bins » Double Bins

Compact capsule double litter bin design for undercover. Panels in 2 hardwood or 4 Duraslat™ colors, and cut-out designs in 17 powder-coat finishes.

Description	Designed with Australia's most famous beach in mind, the Bondi capsule double bin proves that litter bins can add to the aesthetics of undercover or indoor public spaces. Its compact profile, curved corners and cut-out designs make it a sleek and versatile waste management option. Finishes include 2 Australian Eucalyptus hardwood or 4 Duraslat™ colors and 17 powder-coat finishes.
Made In	USA

Dimensions	48"W x 27"D x 45"H
	(1220mmW x 685mmD x 1155mmH)

Capacity	32 gal (120L)
Weight	Hardwood 457lbs (207kg)

Duraslat[™] 458lbs (208kg) Plain Panel

468lbs (213kg)

Perforated Panel 459lbs (208kg)

Batten Type Hardwood
Australian Eucalyptus

Duraslat™

Plateau, Summit, Canyon, Outback

Frame Powder-coated, zinc-primed steel

Litter Bins » Double Bins

Powder Coat Core

Coreten (textured), Charcoal (satin), Silver Pearl (satin metallic), Black

(satin), White (satin), Bronze (satin metallic)

Signature

Deep Ocean (satin), Wedgewood (satin), Mangrove (satin), Territory Red

(matt), Claypot (satin), Paperbark (satin)

Bold

Sky Blue (satin), Yellow Green (satin), Pure Orange (satin), Carmine Red

(satin), Zinc Yellow (satin)

Vinyl decal signage for the door panel on request. Signage

Sustainability Certified Hardwood Australian Eucalyptus hardwood is sourced from sustainable forests

certified by the Program for the Endorsement of Forest Certification

(PEFC), the world's largest forestry certification system.

Material Alternatives

We offer sustainable alternatives to hardwood, such as Duraslat™; a mineral-based composite material that contains no Volatile Organic Compounds (VOCs) and is engineered using up to 46% natural filler that

is based on a renewable mineral.

Recycled Materials

We locally source our steel. It means we know it uses recycled content

and is 100% recyclable.

Low Pollutants

Our powder-coating process doesn't emit VOCs and has Environmental Product Declarations (EPDs) that enable projects to qualify for LEED

credits.

Warranty 5-year warranty. View the warranty for more details.

Lead Time 6-8 weeks

Assembly & Delivery Shipped fully assembled on pallets.

Fixing Detail Surface fixed by others. Anchors not included.

Litter Bins » Double Bins

How to Specify

Select your size - double

Select your capacity - 32 gal (120L) Select your body frame color Select your feature panel design Select your feature panel finish

Select your fixing type

Care Instructions

Hardwood

Cleaning

Remove any loose surface deposits with a soft bristled brush and wipe down with fresh water and a non-abrasive cloth.

Oiling

Oiling of timber will postpone natural greying, repel moisture, improve mould resistance, help maintain a smooth surface texture and enhance the grain and colour.

To maintain, lightly sand rough areas of timber and brush on one coat of timber decking oil every 6 months or as required.

Duraslat™

Cleaning

Clean with mild soap and water and use a soft brush to remove any dirt build-up.

Powder-Coat

Cleaning

Carefully remove any loose surface deposits with a wet sponge or soft bristled brush.

Use a soft (non-abrasive) cloth or brush and a diluted solution of mild detergent and warm water.

Ensure surfaces are thoroughly rinsed with clean fresh water after cleaning to remove all residues.

Never use thinners, abrasive cleaning agents, alcohol-based, acid or alkali cleaning agents.

Additional Comments

Panel designs available in hardwood battens, Duraslat™ battens or powder-coated steel panels in plain or perforated cut-out designs.

Hardwood is treated with a UV-resistant oil finish in a light or dark tone.

All 4 sides are clad in 1 material option.

Compression lock prevents door rattling.