

Litter Bins » Single Bins



Collection: Bondi

Litter Bins » Single Bins






Pure Orange Satin

Carmine Red Satin

Zinc Yellow Satin

Litter Bins » Single Bins



Litter Bins » Single Bins

Compact capsule single litter bin design for undercover. Panels in 2 hardwood or 4 Duraslat™ colors, and cut-out designs in 17 powder-coat finishes.

Description	Designed with Australia's most famous beach in mind, the Bondi capsule single bin proves that litter bins can add to the aesthetics of indoor or undercover public spaces. Its compact profile, curved corners and cutout designs make it a sleek and versatile waste management option. Finishes include 2 Australian Eucalyptus hardwood or 4 Duraslat™ colors and 17 powder-coat finishes.
Made In	USA
Dimensions	24"W x 27"D x 45"H (615mmW x 685mmD x 1155mmH)
Capacity	32 gal (120L)
Weight	Hardwood 274lbs (124kg)  Duraslat™ 274lbs (125kg)  Plain Panel 280lbs (127kg)

Batten Type Hardwood

Australian Eucalyptus

Perforated Panel 275lbs (125kg)

Duraslat™

Plateau, Summit, Canyon, Outback

Frame Powder-coated, zinc-primed steel

Litter Bins » Single Bins

Powder Coat Core

Coreten (textured), Charcoal (satin), Silver Pearl (satin metallic), Black

(satin), White (satin), Bronze (satin metallic)

Signature

Deep Ocean (satin), Wedgewood (satin), Mangrove (satin), Territory Red

(matt), Claypot (satin), Paperbark (satin)

Bold

Sky Blue (satin), Yellow Green (satin), Pure Orange (satin), Carmine Red

(satin), Zinc Yellow (satin)

Signage Vinyl decal signage for the door panel on request.

Sustainability Certified Hardwood

Australian Eucalyptus hardwood is sourced from sustainable forests

certified by the Program for the Endorsement of Forest Certification

(PEFC), the world's largest forestry certification system.

Material Alternatives

We offer sustainable alternatives to hardwood, such as Duraslat™; a mineral-based composite material that contains no Volatile Organic Compounds (VOCs) and is engineered using up to 46% natural filler that

is based on a renewable mineral.

Recycled Materials

We locally source our steel. It means we know it uses recycled content

and is 100% recyclable.

Low Pollutants

Our powder-coating process doesn't emit VOCs and has Environmental

Product Declarations (EPDs) that enable projects to qualify for LEED

credits.

Warranty 5-year warranty. View the <u>warranty</u> for more details.

Lead Time 6-8 weeks

Assembly & Delivery Shipped fully assembled on pallets.

Fixing Detail Surface fixed by others. Anchors not included.

Litter Bins » Single Bins

#### How to Specify

Select your size - single

Select your capacity - 32 gal (120L) Select your body frame color Select your feature panel design Select your feature panel finish

Select your fixing type

#### Care Instructions

#### Hardwood

Cleaning

Remove any loose surface deposits with a soft bristled brush and wipe down with fresh water and a non-abrasive cloth.

#### Oiling

Oiling of timber will postpone natural greying, repel moisture, improve mould resistance, help maintain a smooth surface texture and enhance the grain and colour.

To maintain, lightly sand rough areas of timber and brush on one coat of timber decking oil every 6 months or as required.

#### Duraslat™

Cleaning

Clean with mild soap and water and use a soft brush to remove any dirt build-up.

#### Powder-Coat

Cleaning

Carefully remove any loose surface deposits with a wet sponge or soft bristled brush.

Use a soft (non-abrasive) cloth or brush and a diluted solution of mild detergent and warm water.

Ensure surfaces are thoroughly rinsed with clean fresh water after cleaning to remove all residues.

Never use thinners, abrasive cleaning agents, alcohol-based, acid or alkali cleaning agents.

# Additional Comments

Panel designs available in hardwood battens, Duraslat™ battens or powder-coated steel panels in plain or perforated cut-out designs.

Hardwood is treated with a UV-resistant oil finish in a light or dark tone.

All 4 sides are clad in 1 material option.

Compression lock prevents door rattling.