
Seating » Benches



Collection: Sorrento

bottongardiner.com +1 855 922 8335 | info@bottongardiner.com



Seating » Benches

Hardwood Australian Eucalyptus Light Oil	Hardwood Australian Eucalyptus Dark Oil	Duraslat™ Plateau	Duraslat™ Summit	Duraslat [™] Canyon
Duraslat™ Outback	Core Powder-Coat Coreten Textured	Core Powder-Coat Charcoal Satin	Core Powder-Coat Silver Pearl Satin Metallic	Core Powder-Coat Black Satin
Core Powder-Coat White Satin	Core Powder-Coat Bronze Satin Metallic	Signature Powder- Coat Deep Ocean Satin	Signature Powder- Coat Wedgewood Satin	Signature Powder- Coat Mangrove Satin
Signature Powder- Coat Territory Red Matt	Signature Powder- Coat Claypot Satin	Signature Powder- Coat Paperbark Satin	Bold Powder-Coat Sky Blue Satin	Bold Powder-Coat Yellow Green Satin
Bold Powder-Coat Pure Orange Satin	Bold Powder-Coat Carmine Red Satin	Bold Powder-Coat Zinc Yellow Satin		

Seating » Benches





bottongardiner.com +1 855 922 8335 | info@bottongardiner.com



Modular seating with contrasting finishes and folded forms. Battens in 2 hardwood or 4 Duraslat™ colors and steel frame in 17 powder-coat finishes.

Description	Inspired by the Italian love of modern design, the Sorrento bench is as much at home in the public spaces of Chicago as it is on boardwalks of the Mediterranean. The contrasting finishes, folded forms, and modular seat design combine to create public spaces that draw the eye and challenge the status quo. Finishes include battens in 2 Australian Eucalyptus hardwood or 4 Duraslat [™] colors and a steel frame in 17 powder-coat finishes.
Made In	USA
Dimensions	Hardwood 71″W x 25″D x 17″H (1800mmW x 645mmD x 440mmH) Duraslat™ 71″W x 25″D x 17″H (1800mmW x 630mmD x 435mmH)
Weight	Hardwood 156lbs (71kg) Duraslat™ 138lbs (63kg)
Batten Type	Hardwood Australian Eucalyptus Duraslat™ Plateau, Summit, Canyon, Outback
Frame	Powder-coated steel
Powder Coat	Core Coreten (textured), Charcoal (satin), Silver Pearl (satin metallic), Black (satin), White (satin), Bronze (satin metallic) Signature Deep Ocean (satin), Wedgewood (satin), Mangrove (satin), Territory Red (matt), Claypot (satin), Paperbark (satin) Bold Sky Blue (satin), Yellow Green (satin), Pure Orange (satin), Carmine Red (satin), Zinc Yellow (satin)

Seating » Benches

Sustainability	Certified Hardwood Australian Eucalyptus hardwood is sourced from sustainable forests certified by the Program for the Endorsement of Forest Certification (PEFC), the world's largest forestry certification system.		
	Material Alternatives We offer sustainable alternatives to hardwood, such as Duraslat™; a mineral-based composite material that contains no Volatile Organic Compounds (VOCs) and is engineered using up to 46% natural filler that is based on a renewable mineral.		
	Recycled Materials We locally source our steel. It means we know it uses recycled content and is 100% recyclable.		
	Low Pollutants Our powder-coating process doesn't emit VOCs and has Environmental Product Declarations (EPDs) that enable projects to qualify for LEED credits.		
Warranty	5-year warranty. View the <u>warranty</u> for more details.		
Lead Time	6-8 weeks		
Assembly & Delivery	Shipped fully assembled on pallets.		
Fixing Detail	Surface fixed by others. Anchors not included.		
How to Specify	Select your batten finish Select your frame finish		



Care Instructions	<u>Hardwood</u> Cleaning Remove any loose surface deposits with a soft bristled brush and wipe down with fresh water and a non-abrasive cloth.		
	Oiling Oiling of timber will postpone natural greying, repel moisture, improve mould resistance, help maintain a smooth surface texture and enhance the grain and colour.		
	To maintain, lightly sand rough areas of timber and brush on one coat of timber decking oil every 6 months or as required.		
	<u>Duraslat™</u> Cleaning Clean with mild soap and water and use a soft brush to remove any dirt build-up.		
	<u>Powder-Coat</u> Cleaning Carefully remove any loose surface deposits with a wet sponge or soft bristled brush.		
	Use a soft (non-abrasive) cloth or brush and a diluted solution of mild detergent and warm water.		
	Ensure surfaces are thoroughly rinsed with clean fresh water after cleaning to remove all residues.		
	Never use thinners, abrasive cleaning agents, alcohol-based, acid or alkali cleaning agents.		
Additional Comments	Hardwood is treated with a UV-resistant oil finish in a light or dark tone.		

